## Amendments to and Listing of the Claims

Please amend claims 7, 9, 10, 17, 23 and 33-40, without prejudice, cancel claim 24, without prejudice, and add claims 55 and 56 as set forth in the following listing of the claims, which replaces all prior listings of the claims:

- (Withdrawn) A protein comprising any amino acid sequence selected from the group consisting of:
  - (a) the amino acid sequence represented by SEO ID No:1;
- (b) an amino acid sequence of a protein involved in a G protein-coupled receptor mediated signal transduction, said protein consists of an amino acid sequence having a homology of 85% or more with the amino acid sequence represented by SEO ID No:1;
  - (c) the amino acid sequence represented by SEQ ID No:25;
  - (d) the amino acid sequence represented by SEO ID No:26:
- (e) an amino acid sequence of a protein involved in a G protein-coupled receptor mediated signal transduction, said protein comprises the amino acid sequence of the amino acid Nos.96 to 126 of SEO ID No.1:
- (f) an amino acid sequence of a protein involved in a G protein-coupled receptor mediated signal transduction, said protein comprises an amino acid sequence having a homology of 95% or more with the amino acid sequence of the amino acid Nos.96 to 126 of SEQ ID No:1;
- (g) an amino acid sequence of a protein involved in a G protein-coupled receptor mediated signal transduction, said protein comprises at its N-terminal the amino acid sequence of the amino acid Nos.1 to 126 of SEO ID No:1; and
- (h) an amino acid sequence of a protein involved in a G protein-coupled receptor mediated signal transduction, said protein comprises at its N-terminal an amino acid sequence having a homology of 65% or more with the amino acid sequence of the amino acid Nos.1 to 126 of SEQ ID No:1.
  - 2. (Withdrawn) A protein (1) or (2):
- the protein consisting of the amino acid sequence represented by SEQ ID.

- (2) a protein involved in a G protein-coupled receptor mediated signal transduction which consists of an amino acid sequence having a homology of 85% or more with the amino acid sequence represented by SEQ ID No:1.
- (Withdrawn) The protein consisting of the amino acid sequence represented by SEQ ID No:25.
- (Withdrawn) The protein consisting of the amino acid sequence represented by SEQ ID No:26.

## 5. (Withdrawn) A protein (3) or (4):

- (3) a protein involved in a G protein-coupled receptor mediated signal transduction which comprises the amino acid sequence of the amino acid Nos.96 to 126 of SEQ ID No:1:
- (4) a protein involved in a G protein-coupled receptor mediated signal transduction which comprises an amino acid sequence having a homology of 95% or more with the amino acid sequence of the amino acid Nos.96 to 126 of SEQ ID No:1.

## 6. (Withdrawn) A protein (5) or (6):

- (5) a protein involved in a G protein-coupled receptor mediated signal transduction which comprises at its N-terminal the amino acid sequence of the amino acid Nos.1 to 126 of SEQ ID No:1;
- (6) a protein involved in a G protein-coupled receptor mediated signal transduction which comprises at its N-terminal an amino acid sequence having a homology of 65% or more with the amino acid sequence of the amino acid Nos.1 to 126 of SEQ ID No:1.
- (Currently Amended) A-An isolated polynucleotide comprising a nucleotide sequence selected from the group consisting of:
- (a) a nucleotide sequence encoding the amino acid sequence represented by-SEQ ID No:1;
  - (b) a nucleotide sequence encoding an amino acid sequence of a protein involved

in a G protein-coupled receptor mediated signal transduction, wherein said protein eonsists of an has an ability to mediate a signal transduction from a dopamine D1 receptor or an adenosine A2a receptor to an adenylate cyclase, and wherein said amino acid sequence having has a homology of 85% or more with the amino acid sequence represented by SEQ ID No:1, of SEQ ID NO:1, and retains amino acid sequences represented by amino acid residues 119 to 133, 287 to 292, 353 to 359, and 428 to 435 in the amino acid sequence of SEQ ID NO:1;

- (c) a nucleotide sequence encoding the amino acid sequence represented by-SEQ ID No:25 SEO ID NO:25;
- (d) a nucleotide sequence encoding the amino acid sequence represented by-SEQ ID NO:26;
- (e) a nucleotide sequence encoding an amino acid sequence of a protein involved in a G protein-coupled receptor mediated signal transduction, said protein comprises the amino acid sequence of the amino acid Nos.96 to 126 of SEQ ID No:1;
- (f) a nucleotide sequence encoding an amino acid sequence of a protein involved in a G protein coupled receptor mediated signal transduction, said protein comprises an amino acid sequence having a homology of 95% or more with the amino acid sequence of the amino acid Nos.96 to 126 of SEQ ID No:1;
- (g) a nucleotide sequence encoding an amino acid sequence of a protein involved in a G protein-coupled receptor mediated signal transduction, said protein comprises at its N-terminal the amino acid sequence of the amino acid Nos.1 to 126 of SEO ID Nos.1:
- (h) a nucleotide sequence encoding an amino acid sequence of a protein involved in a G protein-coupled receptor mediated signal transduction, said protein comprises at its N-terminal an amino acid sequence having a homology of 65% or more with the amino acid sequence of the amino acid Nos.1 to 126 of SEO ID No:1;
  - (i) (e) the nucleotide sequence represented by SEQ ID No:2 SEQ ID NO:2;
- (j) a nucleotide sequence of a polynucleotide encoding a protein involved in a G protein-coupled receptor mediated signal transduction, said polynucleotide consists of a nucleotide sequence having a homology of 85% or more with the polynucleotide consisting of the nucleotide sequence represented by SEQ ID-No:2;
  - (k) (f) the nucleotide sequence represented by SEQ ID No:27 SEQ ID NO:27; and (l) (g) the nucleotide sequence represented by SEQ ID No:28 SEQ ID NO:28[[;]]. (m) a nucleotide sequence of a polynucleotide encoding a protein involved in a G

protein-coupled receptor mediated signal transduction, said polynucleotide comprises the nucleotide sequence of the nucleotide Nos.289 to 378 of SEO ID No:2;

- (n) a nucleotide sequence of a polynucleotide encoding a protein involved in a G protein-coupled receptor mediated signal transduction, said polynucleotide comprises a nucleotide sequence having a homology of 90% or more with the polynucleotide consisting of the nucleotide sequence of the nucleotide Nos.289 to 378 of SEO ID No:2:
- (o) a nucleotide sequence of a polynucleotide encoding a protein involved in a G protein-coupled receptor mediated signal transduction, said polynucleotide comprises at its 52 terminal the nucleotide sequence of the nucleotide Nos.1 to 378 of SEO ID Nos2- and
- (p) a nucleotide sequence of a polynucleotide encoding a protein involved in a G protein-coupled receptor mediated signal transduction, said polynucleotide comprises at its 5<sup>2</sup> terminal a nucleotide sequence having a homology of 70% or more with the polynucleotide consisting of the nucleotide sequence of the nucleotide Nos.1 to 378 of SEO ID No.2.
- (Previously Presented) A polynucleotide consisting of the nucleotide sequence represented by SEO ID NO:2.
- (Withdrawn, Currently Amended) <u>The A</u>polynucleotide consisting of the nucleotide sequence represented by SEQ ID NoNO:27.
- (Withdrawn, Currently Amended) Fhe-A polynucleotide consisting of the nucleotide sequence represented by SEQ ID NoNO:28.
  - 11. (Withdrawn) A polynucleotide of (9) or (10):
- (9) a polynucleotide encoding a protein involved in a G protein-coupled receptor mediated signal transduction, said polynucleotide comprises the nucleotide sequence of the nucleotide Nos.289 to 378 of SEO ID No:2:
- (10) a polynucleotide encoding a protein involved in a G protein-coupled receptor mediated signal transduction, said polynucleotide comprises a nucleotide sequence having a homology of 90% or more with the polynucleotide consisting of the nucleotide sequence of the nucleotide Nos.289 to 378 of SEO ID No:2.

- 12. (Withdrawn) A polynucleotide of (11) or (12):
- (11) a polynucleotide encoding a protein involved in a G protein-coupled receptor mediated signal transduction, said polynucleotide comprises at its 5' terminal the nucleotide sequence of the nucleotide Nos.1 to 378 of SEO ID No:2:
- (12) a polynucleotide encoding a protein involved in a G protein-coupled receptor mediated signal transduction, said polynucleotide comprises at its 5' terminal a nucleotide sequence having a homology of 70% or more with the polynucleotide consisting of the nucleotide sequence of the nucleotide Nos.1 to 378 of SEO ID No:2.
- (Previously Presented) A recombinant vector containing a polynucleotide according to claim 7.
- 14. (Previously Presented) A method for producing a recombinant vector comprising a step for integrating a polynucleotide according to claim 7 into a vector capable of being replicated in a host cell.
  - 15. (Original) A transformant having a recombinant vector according to claim 13.
- 16. (Previously Presented) A method for producing a transformant comprising a step for transducing a recombinant vector according to claim 13 into an isolated host cell.
- 17. (Currently Amended) A method for producing a G protein α-subunit comprising steps-for-culturing a transformant having a recombinant vector containing a polynucleotide according to claim 7 and recovering from the culture a protein resulting from the polynucleotide according to claim 7.
- 18. (Withdrawn) An antisense polynucleotide consisting of a polynucleotide of (13) or (14):
- (13) a polynucleotide which inhibits the expression of a protein according to Claim 1 which comprises a nucleotide sequence complementary to at least 15 contiguous nucleotides in the nucleotide sequence represented by SEQ ID No:2;

- (14) a polynucleotide which inhibits the expression of a protein according to Claim 1 which hybridizes under an intracellular condition with a polynucleotide consisting of at least 15 contiguous nucleotides in the nucleotide sequence represented by SEQ ID No:2.
  - 19. (Withdrawn) A ribozyme (15) or (16):
- (15) a ribozyme having an ability of cleaving a polynucleotide according to Claim 7 which comprises two polynucleotide regions complementary to two regions respectively consisting of at least 9 contiguous nucleotides which are two regions in the nucleotide sequence represented by SEQ ID No:2;
- (16) a ribozyme having an ability of cleaving a polynucleotide according to Claim 7 which comprises two polynucleotide regions which hybridizes under an intracellular condition with two regions respectively consisting of at least 9 contiguous nucleotides which are two regions in the nucleotide sequence represented by SEO ID No.2.
- (Withdrawn) An antibody which recognizes a protein according to Claim 1 specifically.
- 21. (Withdrawn) An agent for regulating a G protein-coupled receptor mediated signal transduction containing as an active ingredient a protein according to Claim 1.
- 22. (Withdrawn) A therapeutic or prophylactic agent against a disease caused by a G protein-coupled receptor mediated signal transduction abnormality, wherein an active ingredient of the agent is a protein according to Claim 1.
- 23. (Currently Amended) An agent for regulating a G protein-coupled receptor mediated signal transduction containing as an active ingredient a polynucleotide according to Claim-Claim 7.
  - 24. (Canceled)
- 25. (Withdrawn) An agent for regulating a G protein-coupled receptor mediated signal transduction containing as an active ingredient an antisense polynucleotide according to Claim

18.

- 26. (Withdrawn) A therapeutic or prophylactic agent against a disease caused by a G protein-coupled receptor mediated signal transduction abnormality, wherein an active ingredient of the agent is an antisense polynucleotide according to Claim 18.
- 27. (Withdrawn) An agent for regulating a G protein-coupled receptor mediated signal transduction containing as an active ingredient a ribozyme according to Claim 19.
- 28. (Withdrawn) A therapeutic or prophylactic agent against a disease caused by a G protein-coupled receptor mediated signal transduction abnormality, wherein an active ingredient of the agent is a ribozyme according to Claim 19.
- (Withdrawn) An agent for regulating a G protein-coupled receptor mediated signal transduction containing as an active ingredient an antibody according to Claim 20.
- 30. (Withdrawn) A therapeutic or prophylactic agent against a disease caused by a G protein-coupled receptor mediated signal transduction abnormality, wherein an active ingredient of the agent is an antibody according to Claim 20.
  - 31. (Withdrawn) An oligonucleotide (17) or (18):
- (17) an oligonucleotide capable of recognizing a polynucleotide represented by SEQ ID NO:2 specifically which consists of at least 17 contiguous nucleotides in the nucleotide sequence represented by SEO ID No:2;
- (18) an oligonucleotide capable of recognizing a polynucleotide represented by SEQ ID NO:2 specifically which has a homology of 80% or more with at least 17 contiguous nucleotides in the nucleotide sequence represented by SEQ ID No:2.
- 32. (Withdrawn) An oligonucleotide according to Claim 31 which is used as a probe or a primer.

- 33. (Currently Amended) A method for screening for a substance capable of regulating a signal transduction mediated by a G protein-coupled receptor and a G protein comprising:
- (a) a step-for bringing a test substance into contact with a test cell having a recombinant vector according to Claim-claim 13 and a recombinant vector containing a DNA encoding a G protein-coupled receptor protein:
- (b) a step for measuring the G protein effector activity or the an index value correlating therewith in the test cell; and
- (c) a step for comparing this effector activity or the index value correlating therewith with the effector activity or the <u>an</u> index value correlating therewith in the <u>a</u> test cell which has not been brought into contact with the test substance, whereby selecting to thereby <u>select</u> a test substance capable of altering the effector activity or the index value correlating therewith in the test cell.
- 34. (Currently Amended) A method for screening for a substance capable of regulating a signal transduction mediated by a G protein-coupled receptor and a G protein comprising:
- (a) a step-for bringing a test substance into contact with a test cell having a
  recombinant vector according to Claim-claim 13 and a recombinant vector containing a DNA
  encoding a G protein-coupled receptor protein;
- (b) a-step-for measuring the G protein effector activity or the an index value correlating therewith in the test cell; and
- (c) a step-for comparing this effector activity with the effector activity or the an index value correlating therewith when the said-test substance has been brought into contact with a control cell having no recombinant vector according to Claim-claim 13 but having a recombinant vector containing a DNA encoding a G protein-coupled receptor protein, whereby selecting to thereby select a test substance causing a difference in the effector activity or the index value correlating therewith between the test cell and the control cell.
- 35. (Currently Amended) A method for screening for a substance capable of regulating a signal transduction mediated by a G protein-coupled receptor and a G protein comprising:
- (a) a step-for bringing a test substance into contact with a test cell having a recombinant vector according to Claim claim 13 and a recombinant vector containing a DNA

encoding a G protein-coupled receptor protein;

- (b) a step-for measuring the G protein effector activity or the <u>an index value</u> correlating therewith in the test cell; and
- (c) a step-for comparing this effector activity or the index value correlating therewith with the effector activity or the an\_index value correlating therewith when the said-test substance has been brought into contact with a control cell having no recombinant vector containing a DNA encoding a G protein-coupled receptor protein but having a recombinant vector according to Claim claim 13, whereby selecting to thereby select a test substance causing a difference in the effector activity or the index value correlating therewith between the test cell and the control cell.
- 36. (Currently Amended) A method for screening for a substance capable of regulating a signal transduction mediated by a G protein-coupled receptor and a G protein comprising:
- (a) a step-for bringing a test substance and a G protein-coupled receptor ligand into contact with a test cell having a recombinant vector according to Claim-claim 13 and a recombinant vector containing a DNA encoding a G protein-coupled receptor protein;
- (b) a step-for measuring the G protein effector activity or the an index value correlating therewith in the test cell; and
- (c) a step-for comparing this effector activity or the index value correlating therewith with the effector activity or the an index value correlating therewith in the a test cell which has not been brought into contact with the test substance but has been brought into contact with the ligand, whereby selecting to thereby select a test substance capable of altering the effector activity or the index value correlating therewith in the test cell.
- 37. (Currently Amended) A method for screening for a substance capable of regulating a signal transduction mediated by a G protein-coupled receptor and a G protein comprising:
- (a) a step-for bringing a test substance and a G protein-coupled receptor ligand into contact with a test cell having a recombinant vector according to Claim-claim 13 and a recombinant vector containing a DNA encoding a G protein-coupled receptor protein;
- (b) a step for measuring the G protein effector activity or the an index value correlating therewith in the test cell;

- (c) a step-for comparing this effector activity with the effector activity in-the a test cell which has not been brought into contact with the test substance but has been brought into contact with the ligand, whereby investigating the change in the effector activity in the test cell; and
- (d) a step for comparing the a rate of change in this effector activity or the index value correlating therewith with the a rate of change in the effector activity or the an index value correlating therewith when the said-test substance and said-the ligand has been brought into contact with a control cell having no recombinant vector containing a DNA encoding a G protein-coupled receptor protein but having a recombinant vector according to Claim claim 13, whereby selecting to thereby select a test substance causing a difference in the rate of change in the effector activity or the index value correlating therewith between the test cell and the control cell.
- 38. (Withdrawn, Currently Amended) A method for screening for a substance capable of regulating a signal transduction mediated by a G protein-coupled receptor and a G protein comprising:
- (a) culturing a transformant having a recombinant vector containing a polynucleotide according to claim 7 and preparing from the cultured transformant a cell membrane fraction that contains a protein encoded by the polynucleotide according to claim 7;
- (a) (b) a step for bringing a test substance into contact with [[a]]the cell membrane fraction prepared in (a) of a cell having a recombinant vector according to Claim 13 and a cell membrane fraction of a cell having a recombinant vector containing a DNA encoding a GPCR\_TOF.;
- (b)(c) a-step for assaying the <u>a</u> level of the binding of GTP to the cell membrane fractions; and
- (e) (d) a step for comparing the assayed level of this GTP binding with the an assayed level of the GTP binding to the cell membrane fractions which has have not been brought into contact with the test substance, whereby selecting to thereby select a test substance capable of altering the assayed level of the GTP binding to the cell membrane fraction fractions.

- 39. (Withdrawn, Currently Amended) A method for screening for a substance capable of regulating a signal transduction mediated by a G protein-coupled receptor and a G protein comprising:
- (a) culturing a transformant having a recombinant vector containing a polynucleotide according to claim 7 and preparing from the cultured transformant a cell membrane fraction that contains a protein encoded by the polynucleotide according to claim 7.
- (a) (b) a step for bringing a test substance and a G protein-coupled receptor ligand into contact with [[a]]the cell membrane fraction prepared in (a) of a cell having a recombinant vector according to Claim 13-and a cell membrane fraction of a cell having a recombinant vector containing a DNA encoding a GPCR-or;
- a cell membrane fraction of a cell having the recombinant vector according to Claim 13 and the recombinant vector containing the DNA encoding the GPCR;
- (b)(c) a step for assaying the a level of the binding of GTP to the cell membrane fraction; and
- (e) (d) a step for comparing the assayed level of this GTP binding from (c) with the an assayed level of the GTP binding in to the cell membrane fractions which has have not been brought into contact with the test substance but has have been brought into contact with said the ligand, whereby selecting to thereby select a test substance capable of altering the assayed level of the GTP binding to the cell membrane fractions.
- 40. (Withdrawn, Currently Amended) A method for screening for a substance capable of regulating a signal transduction mediated by a G protein-coupled receptor and a G protein comprising:
- (a) a step for bringing a test substance into contact with a test cell capable of expressing a protein according to Claim-claim\_1;
- (b) a step for measuring the expression level of the protein according to  $\overline{\text{Claim}}$  claim 1 in the test cell: and
- (c) a step-for comparing this expression level with the expression level of said-the protein in the test cell which has not been brought into contact with the test substance, whereby selecting a test substance capable of altering the expression level of said-the protein in the test cell.

- 41. (Withdrawn) A substance capable of regulating a signal transduction mediated by a G protein-coupled receptor and a G protein, said substance is obtained by a screening method according to Claim 33.
- 42. (Withdrawn) An agent for regulating a signal transduction mediated by a G proteincoupled receptor and a G protein, said agent contains as an active ingredient a substance according to Claim 41.
- 43. (Withdrawn) A therapeutic or prophylactic agent against a disease caused by the abnormality in a G protein-coupled receptor and a G protein-mediated signal transduction containing as an active ingredient a substance according to Claim 41.
- 44. (Withdrawn) A kit for screening for a substance capable of regulating a signal transduction mediated by a G protein-coupled receptor and a protein according to Claim 1, which comprises a test cell having a recombinant vector containing a polynucleotide encoding a protein according to Claim 1 and a reagent for measuring the G protein effector activity or an index value correlating therewith.
- 45. (Withdrawn) A screening kit according to Claim 44 wherein the test cell further has a recombinant vector having a DNA encoding a G protein-coupled receptor.
- 46. (Withdrawn) A screening kit according to Claim 44 further containing a G proteincoupled receptor ligand.
- 47. (Withdrawn) A screening kit according to Claim 44 further containing a control cell having a recombinant vector having a DNA encoding a G protein-coupled receptor.
- 48. (Withdrawn) A screening kit according to Claim 44 further containing a control cell having a recombinant vector containing a polynucleotide encoding a protein according to Claim 1.

- 49. (Withdrawn) A kit for screening for a substance capable of regulating a signal transduction mediated by a G protein-coupled receptor and a protein according to Claim 1, which comprises:
- a cell having a recombinant vector containing a polynucleotide encoding a protein according to Claim 1; and,
- a GTP analogue which can bind to the protein according to Claim 1 but can not be cleaved by a GTP ase.
- (Withdrawn) A screening kit according to Claim 49 wherein the cell further has a recombinant vector having a DNA encoding a G protein-coupled receptor.
- 51. (Withdrawn) A kit for screening for a substance capable of regulating a signal transduction mediated by a G protein-coupled receptor and a protein according to Claim 1, which comprises:
- a cell having a recombinant vector containing a polynucleotide encoding a protein according to Claim 1;
- a cell having a recombinant vector having a DNA encoding the G protein-coupled receptor; and,
- a GTP analogue which can bind to the protein according to Claim 1 but can not be cleaved by a GTP ase.
- (Withdrawn) A screening kit according to Claim 49 er-51 further containing a G
  protein-coupled receptor ligand.
  - 53. (Canceled)
- 54. (Withdrawn) A kit for screening for a substance capable of regulating a signal transduction mediated by a G protein-coupled receptor and a protein that comprises:
- a cell capable of expressing a protein comprising an amino acid sequence selected from SEQ ID NOs: 1,25, and 26; and

an agent selected from

an oligonucleotide having at least seventeen contiguous nucleotides of SEO ID NO: 2 and

an antibody that specifically binds to the protein.

- 55. (New) A method for screening for a substance capable of regulating a signal transduction mediated by a G protein-coupled receptor and a G protein comprising:
- (a) culturing a transformant having a recombinant vector containing a polynucleotide according to claim 7 and a recombinant vector containing a polynucleotide encoding a GPCR, and preparing from the cultured transformant a cell membrane fraction that contains a protein encoded by the polynucleotide according to claim 7 and the GPCR;
- (b) bringing a test substance into contact with the cell membrane fraction prepared in (a);
  - (c) assaying a level of binding of GTP to the cell membrane fraction; and
- (d) comparing the level of binding of GTP assayed from (c) with a level of binding of GTP to a cell membrane fraction which has not been brought into contact with the test substance, to whereby select a test substance capable of altering the level of binding of GTP to the cell membrane fraction.
- 56. (New) A method for screening for a substance capable of regulating a signal transduction mediated by a G protein-coupled receptor and a G protein comprising:
- (a) culturing a transformant having a recombinant vector containing a polynucleotide according to claim 7 and a recombinant vector containing a polynucleotide encoding a GPCR, and preparing from the cultured transformant a cell membrane fraction that contains a protein encoded by the polynucleotide according to claim 7 and the GPCR;
- (b) bringing a test substance and a G protein-coupled receptor ligand into contact with the cell membrane fraction prepared in (a);

Application No. 10/618,320 Reply to Office Action of January 24, 2007

- (c) assaying a level of binding of GTP to the cell membrane fraction; and
- (d) comparing the level of binding of GTP assayed from (c) with a level of binding of GTP to a cell membrane fraction prepared which has not been brought into contact with the test substance but has been brought into contact with the ligand, to whereby select a test substance capable of altering the level of binding of GTP to the cell membrane fraction.